


AMENDMENTS TO THE CLAIMS


1. (presently amended) A chemical compound having the general formula



in labelled or unlabelled form, or any of its enantiomers or any mixture thereof, or a pharmaceutically acceptable salt thereof; wherein

— represents a single or a double bond;

R represents hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, a mono- or polycyclic aryl group, or aralkyl; and ~~R<sup>1</sup> represents a group of the formula~~



~~wherein R<sup>2</sup> represents hydrogen, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl alkyl, amino or a fluorescent group; or R<sup>1</sup> represents an mono or polycyclic aryl group, which aryl group is substituted one or more times with substituents selected from the group consisting of alkyl, cycloalkyl, cycloalkyl alkyl, alkenyl, alkynyl, methylenedioxy, hydroxy, alkoxy, alkoxy alkyl, alkoxy alkoxy, aryloxy, alkylcarbonyloxy, halogen, OCF<sub>3</sub>, CN, amino, carbamoyl, nitro, a mono or polycyclic aryl group, a monocyclic 5-~~

~~or 6 membered, saturated, partially saturated or unsaturated heterocyclic group, and a group of the formula  $X-R'-(Y-R'')_n$ , wherein X and Y independently of each another represent oxygen or sulphur, n is 0, 1 or 2, and R' and R'' independently of each another represent alkyl or cycloalkyl; or a fluorescent group; or~~

~~R<sup>1</sup> represents a monocyclic 5 or 6 membered, saturated, partially saturated or unsaturated heterocyclic group, which heterocyclic group may be substituted one or more times with substituents selected from the group consisting of alkyl, cycloalkyl, cycloalkylalkyl, alkenyl, alkynyl, methylenedioxy, hydroxy, alkoxy, alkoxy alkyl, alkoxy alkoxy, aryloxy, alkylcarbonyloxy, halogen, CF<sub>3</sub>, OCF<sub>3</sub>, CN, sulfanyl, nitro, a mono or polycyclic aryl group, a monocyclic 5 or 6 membered, saturated, partially saturated or unsaturated heterocyclic group, and a group of the formula  $X-R'-(Y-R'')_n$ , wherein X and Y independently of each another represent oxygen or sulphur, n is 0, 1 or 2, and R' and R'' independently of each another represent alkyl or cycloalkyl; or a fluorescent group;~~

a 5-membered heterocyclic group selected from the group consisting of 5-imidazolyl, 5-triazolyl, 2-pyrrolyl, 2-selenophene-yl, 3-thiadiazolyl, 5-pyrazolyl, 5-isothiazolyl, 5-furazanyl; which heterocyclic groups may be substituted one or more times with substituents selected from the group consisting of halogen, amino, hydroxy, alkoxy, alkoxy-alkyl, alkoxy-alkoxy, sulfanyl,

alkylsulfanyl, alkylsulfanyl-alkoxy, alkoxy-alkylsulfanyl, and alkylsulfanyl-alkylsulfanyl; or

R<sup>1</sup> represents a 6-membered heterocyclic group selected from the group consisting of 4-pyridazinyl, 4-pyrimidinyl, and 3-pyrazinyl; which heterocyclic groups may be substituted one or more times with substituents selected from the group consisting of halogen, amino, hydroxy, alkoxy, alkoxy-alkyl, alkoxy-alkoxy, sulfanyl, alkylsulfanyl, alkylsulfanyl-alkoxy, alkoxy-alkylsulfanyl, and alkylsulfanyl-alkylsulfanyl;

or

~~R<sup>1</sup> represents a bi-cyclic heterocyclic group composed of a monocyclic 5 or 6 membered heterocyclic group with one heteroatom, fused to a benzene ring or fused to another monocyclic 5 or 6 membered, saturated, partially saturated or unsaturated heterocyclic group, all of which is substituted one or more times with substituents selected from the group consisting of alkyl, cycloalkyl, cycloalkylalkyl, alkenyl, alkynyl, methylenedioxy, hydroxy, alkoxy, alkoxy-alkyl, alkoxy-alkoxy, aryloxy, alkylcarbonyloxy, halogen, CF<sub>3</sub>, OCF<sub>3</sub>, CN, sulfanyl, amino, nitro, a mono or polycyclic aryl group, a monocyclic 5 or 6 membered, saturated, partially saturated or unsaturated heterocyclic group, and a group of the formula X R' (Y R'')<sub>n</sub>; wherein X and Y independently of each another represent oxygen or sulphur, n is 0,~~

~~1 or 2, and R' and R'' independently of each another represent alkyl or cycloalkyl; or a fluorescent group~~

a bi-cyclic heterocyclic group selected from the group consisting of 5- or 6-benzimidazolyl, 5- or 6-benzofuranyl, 5- or 6-benzothiazolyl, 5- or 6-benzothienyl, 5- or 6-benzotrizolyl, 6- or 7-cinnolinyl, 5- or 6-indazolyl, 5- or 6-indoliziny, 5- or 6-indolyl, 5- or 6-isoindolyl, 6- or 7-isoquinolinyl, 6-phthalazinyl, 6- or 7-quinolinyl, 6- or 7-quinoliziny, and 6- or 7-quinoxaliny; which heterocyclic groups may be substituted one or more times with substituents selected from the group consisting halogen, amino, hydroxy, alkoxy, alkoxy-alkyl, alkoxy-alkoxy, sulfanyl, alkylsulfanyl, alkylsulfanyl-alkoxy, alkoxy-alkylsulfanyl, and alkylsulfanyl-alkylsulfanyl.

2-7. (cancelled)

8. (presently amended) The chemical compound of claim 1 7, wherein

R<sup>1</sup> represents a 5-membered heterocyclic group selected from the group consisting of ~~2-furanyl, 2-thienyl, 4-thiazolyl,~~ 5-imidazolyl, 5-triazolyl, 2-pyrrolyl, 2-selenophene-yl, 3-thiadiazolyl, ~~5-isoxazolyl, 5-oxazolyl,~~ 5-pyrazolyl, 5-isothiazolyl, 5-furazanyl; which heterocyclic groups may be substituted one or more times with substituents selected from the

group consisting of halogen, amino, hydroxy, alkoxy, alkoxy-alkyl, alkoxy-alkoxy, sulfanyl, alkylsulfanyl, alkylsulfanyl-alkoxy, alkoxy-alkylsulfanyl, and alkylsulfanyl-alkylsulfanyl.

9. (cancelled)

10. (presently amended) The chemical compound of claim 1 9, wherein R<sup>1</sup> represents a 6-membered heterocyclic group selected from the group consisting of ~~3-pyridyl, 4-pyridazyl, 4-pyrimidyl,~~ 4-pyridazinyl, 4-pyrimidinyl, and 3-pyrazinyl; which heterocyclic groups may be substituted one or more times with substituents selected from the group consisting of halogen, amino, hydroxy, alkoxy, alkoxy-alkyl, alkoxy-alkoxy, sulfanyl, alkylsulfanyl, alkylsulfanyl-alkoxy, alkoxy-alkylsulfanyl, and alkylsulfanyl-alkylsulfanyl.

11. (presently amended) The chemical compound of claim 1, wherein R<sup>1</sup> represents a bi-cyclic heterocyclic group selected from the group consisting of 5 5- or 6-benzimidazolyl, 5 5- or 6-benzofuranyl, 5 5- or 6-benzothiazolyl, 5 5- or 6-benzothienyl, 5 5- or 6-benzotrizolyl, 6 6- or 7-cinnolinyl, 5 5- or 6-indazolyl, 5 5- or 6-indolizinylyl, 5 5- or 6-indolyl, 5 5- or 6-isoindolyl, 6 6- or 7-isoquinolinyl, 6-phthalazinyl, 6 6- or 7-quinolinyl, 6 6- or 7-quinolizinylyl, and 6 6- or 7-quinoxalinylyl; which heterocyclic

groups may be substituted one or more times with substituents selected from the group consisting of halogen, amino, hydroxy, alkoxy, alkoxy-alkyl, alkoxy-alkoxy, sulfanyl, alkylsulfanyl, alkylsulfanyl-alkoxy, alkoxy-alkylsulfanyl, and alkylsulfanyl-alkylsulfanyl.

12. (presently amended) A compound of claim 8 ± which is

~~(±) 3-[2-(3-Bromofuranyl)]-8-H-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3-Bromofuranyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3-Bromofuranyl)]-8-ethyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3-Chlorofuranyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3-Iodofuranyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3-Bromothieryl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3-Bromothieryl)]-8-ethyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3-Bromothieryl)]-8-H-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3-Iodothieryl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[2-(3,4-Dibromothieryl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~ene;~~  
~~(±) 3-[2-(3,4-Dichlorothieryl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~ene;~~  
~~(±) 3-[4-(5-Bromothiazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±) 3-[4-(5-Chlorothiazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~ene;~~  
~~(±) 3-[4-(5-Iodothiazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

(±) -3- [5- (4-Bromo-1-methyl-imidazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [5- (4-Chloro-1-methyl-imidazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [5- (4-Iodo-1-methyl-imidazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

~~(±) -3- [5- (4-Iodo-1-methyl-imidazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;~~

(±) -3- [5- (4-Bromo-1-methyl-1,2,3-triazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [5- (4-Chloro-1-methyl-1,2,3-triazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [5- (4-Iodo-1-methyl-1,2,3-triazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [2- (3-Bromo-1-methyl-pyrrolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [2- (3-Chloro-1-methyl-pyrrolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [2- (3-Iodo-1-methyl-pyrrolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [2- (3-Bromoselenophene-yl)] -8-methyl-8-azabicyclo[3.2.1]oct-  
2-ene;

(±) -3- [2- (3-Chloroselenophene-yl)] -8-methyl-8-azabicyclo[3.2.1]oct-  
2-ene;

(±)-3-[2-(3-Iodoselenophene-yl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

~~(±)-3-[2-(3-Bromoselenophenyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±)-3-[2-(3-Chloroselenophenyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±)-3-[2-(3-Iodoselenophenyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

(±)-3-[3-(4-Bromo-1-2-5-thiadiazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[3-(4-Chloro-1-2-5-thiadiazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[3-(4-Iodo-1-2-5-thiadiazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

~~(±)-3-[5-(4-Bromo-isoxazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±)-3-[5-(4-Chloro-isoxazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±)-3-[5-(4-Iodo-isoxazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±)-3-[5-(4-Bromo-oxazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
~~(±)-3-[5-(4-Chloro-oxazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±)-3-[5-(4-Iodo-oxazolyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~



(±) -3- [5- (4-Bromo-1-methylpyrazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [5- (4-Chloro-1-methylpyrazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [5- (4-Iodo-1-methylpyrazolyl)] -8-methyl-8-  
azabicyclo[3.2.1]oct-2-ene;

(±) -3- [5- (4-Bromo-isothiazolyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-  
ene;

(±) -3- [5- (4-Chloro-isothiazolyl)] -8-methyl-8-azabicyclo[3.2.1]oct-  
2-ene;

(±) -3- [5- (4-Iodo-isothiazolyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-  
ene;

(±) -3- [5- (4-Bromo-furazanyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-  
ene;

(±) -3- [5- (4-Chloro-furazanyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-  
ene; or

(±) -3- [5- (4-Iodo-furazanyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

~~(±) -3- [3- (2-Bromo-pyridyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±) -3- [3- (2-Chloro-pyridyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±) -3- [3- (4-Bromo-pyridyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±) -3- [3- (4-Chloro-pyridyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(±) -3- [4- (3-Bromo-pyridazyl)] -8-methyl-8-azabicyclo[3.2.1]oct-2-  
ene;~~

~~(1) 3 [4 (3-Chloro pyridazyl)] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [4 (3,6-Dibromo pyridazyl)] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [4 (3,6-Dichloro pyridazyl)] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [4 (5-Bromo pyrimidyl)] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [4 (5-Chloro pyrimidyl)] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [3 (2,6-dichloropyrazinyl)] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [3 (2-Chloro pyrazinyl)] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [6-Isoquinolinyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [6-Quinolinyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [7-Isoquinolinyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [7-Quinolinyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [1-H-5-Benzimidazolyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [1-H-6-Benzimidazolyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [1-H-5-Benzotrizolyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [1-H-6-Benzotrizolyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3 [2-Amino-1-H-5-benzimidazolyl] 8-methyl 8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[2 Amino-1 H-6-benzimidazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[6-phthalazinyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[5-Benzofuranyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[6-Benzofuranyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[5-Benzothienyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[6-Benzothienyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[5-Benzothiazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[6-Benzothiazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[1-Methyl-5-indolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[1-Methyl-6-indolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[5-Indoliziny]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[6-Indoliziny]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[2-Methyl-5-isoindolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[2-Methyl-6-isoindolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[1-Methyl-5-indazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[1-Methyl-6-indazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[6-Quinoliziny]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[7-Quinoliziny]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[6-Cinnoliny]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[7-Cinnoliny]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~

~~(1) 3-[6-Quinoxaliny]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene; or~~


~~(1) 3-[7-Quinoxaliny]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;~~  
 or a pharmaceutically acceptable addition salt thereof.

13. (original) A pharmaceutical composition comprising a therapeutically effective amount of the chemical compound of claim 1, or a pharmaceutically acceptable addition salt thereof, together with at least one pharmaceutically acceptable carrier or diluent.

14-25. (cancelled)

26. (original) A method for the preparation of the compounds according to claim 1, which method comprises

A) the step of reacting a compound having the formula




wherein R is as defined in claim 1,

with a compound of the formula  $R^1\text{-Li}$ ,

wherein  $R^1$  is as defined in claim 1,


followed by dehydration of the compound obtained; or

B) the step of reacting a compound having the formula



wherein R is as defined in claim 1,  
 with a compound of formula R<sup>1</sup>-X,  
 wherein R<sup>1</sup> is as defined in claim 1,  
 and X represents halogen, boronic acid, or trialkylstannyl; or

C) the step of reducing a compound having the formula



wherein R<sup>1</sup> is as defined in claim 1.

27. (original) A method of the treatment or alleviation of a disease or disorder of a living animal body, including a human, which disease or disorder is responsive to the action of a nicotinic Acetyl Choline Receptor (nAChR) modulator, which method comprises the step of administering to such a living animal body, including a human, in need thereof a therapeutically effective amount of the chemical compound according to claim 1.

28. (original) The method according to claim 27, wherein the disease or disorder to be treated is a disease or disorder of the central nervous system, a disease or disorder caused by or related to smooth muscle contraction, an endocrine disorder, a disease or disorder caused by or related to neuro-degeneration, a disease or

disorder caused by or related to inflammation, pain, a withdrawal symptom caused by the termination of abuse of chemical substances.

29. (original) The method of claim 28, wherein the disease or disorder of the central nervous system is anxiety, cognitive disorders, learning deficit, memory deficits and dysfunction, Alzheimer's disease, attention deficit, attention deficit hyperactivity disorder, Parkinson's disease, Huntington's disease, Amyotrophic Lateral Sclerosis, Gilles de la Tourettes syndrome, depression, mania, manic depression, schizophrenia, obsessive compulsive disorders (OCD), panic disorders, eating disorders such as anorexia nervosa, bulimia and obesity, narcolepsy, nociception, AIDS-dementia, senile dementia, periferic neuropathy, autism, dyslexia, tardive dyskinesia, hyperkinesia, epilepsy, bulimia, post-traumatic syndrome, social phobia, chronic fatigue syndrome, sleeping disorders, pseudodementia, Ganser's syndrome, pre-menstrual syndrome, late luteal phase syndrome, chronic fatigue syndrome, mutism, trichotillomania, and jetlag.

30. (original) The method of claim 28, wherein the disease or disorder caused by or related to smooth muscle contraction is convulsive disorders, angina pectoris, premature labor, convulsions, diarrhoea, asthma, epilepsy, tardive dyskinesia, hyperkinesia, premature ejaculation, and erectile difficulty.

31. (original) The method of claim 28, wherein the endocrine disorder is thyrotoxicosis, pheochromocytoma, hypertension and arrhythmias.

32. (original) The method of claim 28, wherein the neurodegenerative disease is transient anoxia and induced neurodegeneration.

33. (original) The method of claim 28, wherein the disease or disorder caused by or related to inflammation is an inflammatory skin disorder such as acne and rosacea, Chron's disease, inflammatory bowel disease, ulcerative collitis, and diarrhoea.

34. (original) The method of claim 28, wherein pain is a mild, a moderate or a severe pain of acute, chronic or recurrent character, a pain caused by migraine, a postoperative pain, or a phantom limb pain.

35. (original) The method of claim 28, wherein the addictive substance is a nicotine containing product such as tobacco, an opioids such as heroin, cocaine or morphine, a benzodiazepine or a benzodiazepin-like drug, or alcohol.

36-37. (cancelled)

Please add the following new claims.

38. (new) A compound of claim 10 which is

(±)-3-[4-(3-Bromo-pyridazinyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[4-(3-Chloro-pyridazinyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[4-(3,6-Dibromo-pyridazinyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[4-(3,6-Dichloro-pyridazinyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[4-(5-Bromo-pyrimidinyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[4-(5-Chloro-pyrimidinyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[3-(2,6-dichloro-pyrazinyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[3-(2-Chloro-pyrazinyl)]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene or a pharmaceutically acceptable addition salt thereof.

39. (new) A compound of claim 11 which is

(±)-3-[6-Isoquinolinyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[6-Quinolinyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;



(±)-3-[7-Isoquinolinyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[7-Quinolinyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[1-H-5-Benzimidazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[1-H-6-Benzimidazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[1-H-5-Benzotrizolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[1-H-6-Benzotrizolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[2-Amino-1-H-5-benzimidazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[2-Amino-1-H-6-benzimidazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[6-phthalazinyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[5-Benzofuranyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[6-Benzofuranyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[5-Benzothienyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[6-Benzothienyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[5-Benzothiazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[6-Benzothiazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[1-Methyl-5-indolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[1-Methyl-6-indolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[5-Indolizinyll]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[6-Indolizinyll]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
(±)-3-[2-Methyl-5-isoindolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;  
ene;

(±)-3-[2-Methyl-6-isoindolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[1-Methyl-5-indazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[1-Methyl-6-indazolyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[6-Quinoliziny]l]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[7-Quinoliziny]l]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[6-Cinnolinyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[7-Cinnolinyl]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

(±)-3-[6-Quinoxaliny]l]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene; or

(±)-3-[7-Quinoxaliny]l]-8-methyl-8-azabicyclo[3.2.1]oct-2-ene;

or a pharmaceutically acceptable addition salt thereof.